

ODISHA POWER TRANSMISION CORPORATION LIMITED

A Govt.of Odisha Undertaking)

Regd.Office: Janapath Bhubaneswar-751022

OFFICE OF THE G.M.(ELECT)EHT(O&M)CIRCLE, JAJPUR ROAD.

Fax/Phone No.06726-220965(off) E-mail.id.ehtm.cle.jjp@optcl.co.in

CIN:U401020R2004SGC007553

NO: 1218

1Dated. 04.09-15

TENDER CALL NOTICE NO. 06 /15-16

Sealed Tenders in prescribed Performa in duplicate are invited from Civil contractor having civil contract license ' C' or 'D' class for CONSTRUCTION OF (CHAIN LINK FENCING MESS OF SIZE 25mmX25mm MADE OF G.I. WIRE OF DIA. 3MM) M.S. FENCING (PART-A &B) FOR SITE- A & SITE -B AT GRID S/S BALASORE UNDER EHT (O&M) DIVISION BALASORE SITE A:-

	Description	Unit	Qnty.	Cost of Tender Paper /EMD	Date of sale of tender paper/ Last date of Receipt of tender paper/ Date of opening of tender paper
				Rs.4,000/- + 5% VAT =Rs.4,200 /Rs8000/-	09.09.15 to 30.09.15 (During office hours) 01.10.15 up to 1.00
	First 127 Feet (38.71 mtr)				PM/01.10.15 at 3PM
1	M.S. mesh for already grouted angles.				
2	2 coats of synthetic enamel paint on new / old steel surface	Sq.M.	47.25		
	, which charmer paint on new / old steel surface	Sq.M.			
3	2 coats whitewash on existing plaster		47.25		
	TOTAL FOR SI.No. I	Sq.M.	45.23		
	For First 9 Food /2 44				
II.	For First 8 Feet (2.44 mtr)(after 127 feet f	from s	outh si	de)	
1	Iron work for steel for fence.				
2	2 coats of synthetic enamel paint on new / old steel surface	Sq.M.	2.97		
	paint of flew / old steel surface	Sq.M.			
3	Grouting of Angles		2.97		
		Nos.			

4	2 coats whitewash on existing plaster	Sq.M	9.76	1	
	For next 56 feet (17.069mtr)			-	
1	Iron work for steel for fence.	Sq.M.	20.01		
2	2 coats of synthetic enamel paint on new / old steel surface	e Sq.M.	20.01		
	in ground floor	e 34.1VI.			
3	Grouting of Angles		20.81		
4	2 coats whitewash on existing plaster	Nos.	10		
		Sq.M.	68.32		
111.	For next 115 feet (35.052 mtr)				
1	Iron work for steel for, fence.				
		Sq.M.	42.73		
2	2 coats of synthetic enamel paint on new / old steel surface	Sq.M.	42.73		
	in ground floor	. 34.171.	42.73		
3	Grouting of Angles				
	2 coats whitewash on existing plaster	Nos.	21		
4	- Land Child Child Plastel	Sq.M.	140.3		
IV.	For next 139 feet (42.367 mtr)		140.5		
1	Iron work for steel for fence.	Sq.M.	E1 CF		
2	2 coats of sunth i	200	51.65		
_	2 coats of synthetic enamel paint on new / old steel surface in ground floor	Sq.M.	51.65		
3	Grouting of Angles	Nos.	24		
4	2 coats whitewash on existing plaster	Sq.M.			
1/	For next 123 feet (37.490 mtr)		169.58		
V.	1 11 11 11 11 11 11 11 11 11 11 11 11 1				
1	Iron work for steel for fence.				
		Sq.M.	45.71		
2	2 coats of synthetic enamel paint on new / old steel surface	Sq.M.	45.71		
	in ground floor	94.171.	43.71		
3	Grouting of Angles				
	2 coats whitewash on existing plaster	Nos.	21		
4		Sq.M.	150.06		
3:-IVE	W WORK at SITE A & SITE B		130.06		
	a one b				
I. No.	D				
	Description	Unit	Qnty	Rate	Amount
	For first 150 feet in Site B				
1.					
1	Earth work excavation for foundation in hard soil				
	Earth work excavation for foundation in hard soil.	Cu.M.	6.37		
	Earth work excavation for foundation in hard soil.				
1	Earth work excavation for foundation in hard soil. P.C.C (1:4:8) in 40 mm aggregate.	Cu.M.	1.42		
2 3	P.C.C (1:4:8) in 40 mm aggregate. Brick work (1:6) in foundation & plinth.				
2 3	Earth work excavation for foundation in hard soil. P.C.C (1:4:8) in 40 mm aggregate.	Cu.M.	1.42		
2 3 4	P.C.C (1:4:8) in 40 mm aggregate. Brick work (1:6) in foundation & plinth.	Cu.M.	1.42 10.46		

6	Iron work for steel for fence.	Sq.M.	55.74		
7	2 coats of synthetic enamel paint on new / old steel surface in ground floor	Sq.M.	55.74		
8	Grouting of Angles	Nos.	26		
11.	For next 48 feet in Site B		1	· · · · · · · · · · · · · · · · · · ·	
1	Earth work excavation for foundation in hard soil.	Cu.M.	2.04		
2	P.C.C (1:4:8) in 40 mm aggregate .	Cu.M.	0.46		
3	Brick work (1:6) in foundation & plinth .	Cu.M.	3.35		
4	12mm thick cement plaster (1:6) in ground floor .	Sq.M.	35.72		
5	2 coats whitewash on plaster	Sq.M.	35.72		
6	Iron work for steel for fence.	Sq.M.	17.84		
7	2 coats of synthetic enamel paint on new / old steel surface in ground floor	Sq.M.	17.84		
8	Grouting of Angles	Nos.	9		
111.	144 feet (43.891 mtr) in Site A				
1	Earth work excavation for foundation in hard soil.	Cu.M.	6.12		
2	P.C.C (1:4:8) in 40 mm aggregate .	Cu.M.	1.37		
3	Brick work (1:6) in foundation & plinth .	Cu.M.	9.36		
4	12mm thick cement plaster (1:6) in ground floor .	Sq.M.	20.14		
5	2 coats whitewash on plaster	Sq.M.	20.14		
6	Iron work for steel for fence.	Sq.M.	53.51		
7	2 coats of synthetic enamel paint on new / old steel surface in ground floor	Sq.M.	53.51		
8	Grouting of Angles	Nos.	25.00		

The Tender documents can be made available in the office of undersigned on written request and payment of required dues by <code>cash/ pay order/ Bank Draft</code> in favor of G.M. EHT (O&M) Circle, OPTCL,Jajpur Road, payable at Jajpur Road. Additional amount of Rs <code>100/-(Rupees</code> one hundred) only may be paid for postal delivery of Tender documents. The undersigned shall not be held responsible for any postal delay. The Tender bids must be accompanied with EMD RS. <code>8000/-(Rupees eight thousand)</code> only in shape of DD/ Pay order in favor of G.M.EHT(O&M) Circle,OPTCL,Jajpur Road payable at Jajpur Road and will be opened on Dated. <code>01.10.15 at 3.00 PM</code> at the office of the undersigned in presence of Tenderers or their authorised representative (one person only with original authorization letter). Incomplete Tenderers and Tenders without EMD shall be rejected. Besides these, the undersigned reserves the right to accept or reject any or all tenders without assigning any reason there of.

General Manager(Elect)
EHT(O&M) Circle, Jajpur Road.